



Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Aponogetonaceae, Juncaginaceae, Alismaceae, Butomaceae, and Hydrocharidaceae. From an investigation of adult structure and manner of development, he has concluded that the axillary scales found at the bases of the leaves in the plants of these genera are homologous with the more specialized and solitary stipules of Selaginella and Isoetes. It will be recalled that GIBSON regards the ligule as a sort of specialized ramentum, protecting and keeping moist the young leaves and growing apex of Selaginella and Isoetes.—FLORENCE LYON.

Reserve food of trees.—NIKLEWSKI²⁴ confirms by macrochemical methods the observation of RUSSOW and of FISCHER, that in winter the fat-content of trees first increases and then diminishes. The process cannot be reversed by temperature changes. While a rise of temperature accelerates the formation of fat, no change affects its solution. The transformation of fat and of starch are not related. Low temperatures promote the formation of sugar from starch. Complex phenomena result from a rise of temperature. So great is the loss of reserves by the increased respiration, that it seems probable that bodies other than starch or fat share in the metabolism and give rise to carbohydrates.—C. R. B.

Conjugation of yeasts.—GUILLIERMOND²⁵ has extended his studies on the conjugation of yeasts to several additional forms of the Schizosaccharomyces and Zygosaccharomyces. The union of the cells is followed by the fusion of the two nuclei, after which the fusion nucleus divides and the two cells separate or spores are formed in the fusion cell. In some forms conjugation takes place with the germination of the spores. GUILLIERMOND regards this cell and nuclear fusion as a sexual act, but of course chiefly on physiological grounds. Since we do not know the history of the yeasts, it is a matter of speculation whether or not these conjugating cells are phylogenetically gametes.—B. M. DAVIS.

Amphisporos in Uredineae.—ARTHUR has given an account of all species of rusts which have amphisporos,²⁶ *i. e.*, as defined by CARLETON, one-celled spores which resemble the teleutospores of Uromyces in appearance, but have two or more germ-pores, and in germination behave like uredospores, their function seeming to be to tide the fungus over unfavorable conditions. This account includes one species of Uromyces and eight of Puccinia, one of which, *P. Garrettii*, is new. All the forms are American, for thus far no cases of the occurrence of amphisporos have been reported from other parts of the world.—H. HASSELBRING.

Photosynthesis extra vitam.—BERNARD has again examined carefully the

²⁴ NIKLEWSKI, B., Untersuchungen über die Umwandlung einiger stickstofffreier Reservestoffe während der Winterperiode der Bäume. Beihefte Bot. Centralbl. 191: 68-117. 1905.

²⁵ GUILLIERMOND, M. A., Recherches sur la germination des spores et la conjugaison chez les levures. Rev. Gén. Bot. 17:337-376. pls. 6-9. figs. 11. 1905.

²⁶ ARTHUR, J. C., Amphisporos of the grass and sedge rusts. Bull. Torr. Bot. Club 32:35-42. figs. 9. 1905.